

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
Vízvezeték hossza (km)	601,457	93,786	80,174	15,912	35,431	23,464	11,379	139,557	1 001,160
Gerincvezeték [km]	414,461	74,361	59,076	14,187	35,120	22,866	8,597	111,349	740,017
NA 80									
Öntöttvas	0,327				0,780				1,107
ac	87,450	19,914	5,327	0,794	3,905	1,545		16,891	135,826
Műanyag (KPE, KM-PVC)	19,633	1,026	1,642		0,126	1,334	7,331	5,352	36,444
NA 100									
Öntöttvas	0,328					0,003		0,024	0,355
ac	69,598	3,511	13,071	5,979	2,195	1,375		1,437	97,166
Műanyag (KPE, KM-PVC)	131,998	32,175	26,441	6,839	13,651	14,340	0,161	37,693	263,298
NA 125									
Öntöttvas									
ac	1,480					1,284		0,286	3,050
Műanyag (KPE, KM-PVC)							1,100	0,284	1,384
NA 150									
Öntöttvas	0,204								0,204
ac	8,993	0,455	3,365	0,409	6,493	1,004		0,997	21,716
Műanyag (KPE, KM-PVC)	13,813	10,977	3,237		1,173	1,911		10,712	41,823
NA 200									
Öntöttvas	0,969				0,037			0,002	1,008
ac	21,337		3,624		2,495			3,716	31,172
Műanyag (KPE, KM-PVC)	3,550	0,515			3,991			9,407	17,463
NA 225									
Öntöttvas	0,012								0,012
ac									
Műanyag (KPE, KM-PVC)	2,730							0,037	2,767
NA 250									
Öntöttvas	0,066								0,066
ac	16,147		2,084					1,340	19,571
Műanyag (KPE, KM-PVC)	0,102								0,102
NA 300									
Öntöttvas	0,085								0,085
ac	2,514							2,596	5,110
Műanyag (KPE, KM-PVC)	7,485	3,861						15,887	27,233

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 400									
Öntöttvas									
ac	8,499								8,499
Műanyag (KPE, KM-PVC)	2,566							0,257	2,823
NA 600									
Öntöttvas	0,886								0,886
ac	8,575	0,922							9,497
Műanyag (KPE, KM-PVC)	0,087							1,075	1,162
NA 600									
Öntöttvas									
ac								1,625	1,625
Műanyag (KPE, KM-PVC)									
Egyéb	5,027	1,005	0,285	0,166	0,274	0,070	0,005	1,731	8,563
Bekötő vezeték [km]	186,996	19,425	21,098	1,725	0,311	0,598	2,782	28,208	261,143
NA 25									
horganyzott acél	100,561	0,117	2,347		0,005	0,016			103,046
ac									
Műanyag (KPE, KM-PVC)	42,708	2,907	7,985	0,286	0,139	0,035	2,782	1,244	58,086
NA 32									
horganyzott acél	1,077		0,009						1,086
ac									
Műanyag (KPE, KM-PVC)	0,345	0,158	0,021					0,059	0,583
NA 40									
horganyzott acél	0,250								0,250
ac									
Műanyag (KPE, KM-PVC)	0,007								0,007
NA 50									
horganyzott acél	0,366								0,366
ac									
Műanyag (KPE, KM-PVC)	0,012				0,061				0,073
NA 63									
horganyzott acél	0,791								0,791
ac									
Műanyag (KPE, KM-PVC)	0,160								0,160

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 80									
horganyzott acél	0,172		0,007						0,179
ac									
Műanyag (KPE, KM-PVC)	0,012		0,018						0,030
NA 100									
horganyzott acél	0,069								0,069
ac									
Műanyag (KPE, KM-PVC)	0,068	0,097			0,011	0,006			0,182
NA 150									
Öntöttvas(és-vagy acél)									
ac									
Műanyag (KPE, KM-PVC)	0,011		0,022					0,007	0,040
Egyéb	40,387	16,146	10,689	1,439	0,095	0,541		26,895	96,192
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)								0,003	0,003