

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
Vízvezeték hossza (km)	602,645	94,704	80,372	16,058	25,440	23,965	11,822	139,314	994,320
Gerincvezeték [km]	407,286	75,162	58,889	14,131	20,022	22,324	8,988	110,368	717,170
NA 80									
Öntöttvas	0,196								0,196
ac	84,540	20,027	5,323	0,795		1,544		16,833	129,062
Műanyag (KPE, KM-PVC)	19,704	0,903	1,644		0,126	0,945	7,723	5,697	36,742
NA 100									
Öntöttvas	0,239				0,815	0,003			1,057
ac	68,690	3,586	12,494	5,699		1,041		1,437	92,947
Műanyag (KPE, KM-PVC)	137,359	33,670	26,950	7,122	13,803	14,630	1,260	38,623	273,417
NA 125									
Öntöttvas									
ac	1,477					1,284		0,289	3,050
Műanyag (KPE, KM-PVC)								0,284	0,284
NA 150									
Öntöttvas	0,100								0,100
ac	9,163	0,455	3,387	0,409		0,906		0,997	15,317
Műanyag (KPE, KM-PVC)	13,688	11,024	3,239		1,174	1,966		10,746	41,837
NA 200									
Öntöttvas	0,933				0,041			0,002	0,976
ac	20,360		3,628					3,703	27,691
Műanyag (KPE, KM-PVC)	3,365	0,532			3,984				7,881
NA 225									
Öntöttvas	0,010								0,010
ac									
Műanyag (KPE, KM-PVC)	3,639							8,768	12,407
NA 250									
Öntöttvas	0,070								0,070
ac	16,340		2,084					1,340	19,764
Műanyag (KPE, KM-PVC)	0,237							1,290	1,527
NA 300									
Öntöttvas	0,061								0,061
ac	2,514							2,596	5,110
Műanyag (KPE, KM-PVC)	3,325	3,861						15,646	22,832

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 400									
Öntöttvas									
ac	8,501								8,501
Műanyag (KPE, KM-PVC)	2,566								2,566
NA 600									
Öntöttvas	0,783								0,783
ac	7,507	0,922						1,625	10,054
Műanyag (KPE, KM-PVC)	0,198								0,198
NA 700									
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)									
Egyéb	1,721	0,182	0,140	0,106	0,079	0,005	0,005	0,492	2,730
Bekötő vezeték [km]	195,359	19,542	21,483	1,927	5,418	1,641	2,834	28,946	277,150
NA 20									
horganyzott acél					0,005				0,005
ac									
Műanyag (KPE, KM-PVC)	0,028								0,028
NA 25									
horganyzott acél	97,118	0,127	2,279		0,034				99,558
ac									
Műanyag (KPE, KM-PVC)	61,679	2,791	8,355	0,303	0,230	0,333	2,782	1,397	77,870
NA 32									
horganyzott acél	1,004		0,009					0,047	1,060
ac									
Műanyag (KPE, KM-PVC)	0,554	0,157	0,021	0,029		0,049		0,059	0,869
NA 40									
horganyzott acél	0,280								0,280
ac									
Műanyag (KPE, KM-PVC)	0,198			0,028				0,061	0,287
NA 50									
horganyzott acél	0,320								0,320
ac		0,239							0,239
Műanyag (KPE, KM-PVC)	0,060				0,072				0,132

Anyag, átmérő	Érd	DIÓSD	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 63									
horganyzott acél	0,798								0,798
ac	0,015								0,015
Műanyag (KPE, KM-PVC)	0,513								0,513
NA 80									
horganyzott acél	0,172		0,007						0,179
ac	0,027								0,027
Műanyag (KPE, KM-PVC)	0,025		0,024			0,018			0,067
NA 100									
horganyzott acél	0,070								0,070
ac									
Műanyag (KPE, KM-PVC)	0,158	0,095			0,011	0,006		0,015	0,285
NA 150									
Öntöttvas(és-vagy acél)									
ac									
Műanyag (KPE, KM-PVC)	0,112								0,112
Egyéb									
Öntöttvas	0,005								0,005
ac						0,016			0,016
Műanyag (KPE, KM-PVC)	0,031		0,022	0,014				0,010	0,077
Egyéb	32,192	16,133	10,766	1,553	5,066	1,219	0,052	27,357	94,338