

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
Vízvezeték hossza (km)	606,302	95,854	80,486	16,550	43,740	24,229	11,822	143,040	1 022,023
Gerincvezeték [km]	410,487	75,297	58,852	14,624	35,073	22,562	8,988	111,493	737,376
NA 80									
Öntöttvas	0,196								0,196
ac	82,548	19,587	5,309	0,792	3,889	1,544		16,879	130,549
Műanyag (KPE, KM-PVC)	19,971	0,932	1,679		0,134	0,945	7,723	5,542	36,926
NA 100									
Öntöttvas	0,239				0,813	0,003			1,055
ac	67,424	3,642	12,445	5,695	2,185	1,041		1,437	93,868
Műanyag (KPE, KM-PVC)	141,396	34,104	26,945	7,618	13,843	14,681	1,260	39,459	279,307
NA 125									
Öntöttvas									
ac	1,477					1,284		0,289	3,049
Műanyag (KPE, KM-PVC)								0,284	0,284
NA 150									
Öntöttvas	0,103								0,103
ac	9,184	0,455	3,387	0,409	6,478	0,906		1,346	22,165
Műanyag (KPE, KM-PVC)	14,192	11,002	3,239		1,174	2,153		10,550	42,310
NA 200									
Öntöttvas	0,933				0,041			0,002	0,976
ac	19,943		3,628		2,475			3,703	29,749
Műanyag (KPE, KM-PVC)	3,566	0,528			3,879			8,764	16,736
NA 225									
Öntöttvas	0,012								0,012
ac									
Műanyag (KPE, KM-PVC)	4,059	0,005						1,290	5,354
NA 250									
Öntöttvas	0,066								0,066
ac	16,336		2,084					1,340	19,760
Műanyag (KPE, KM-PVC)	0,239	0,002							0,241
NA 300									
Öntöttvas	0,133								0,133
ac	2,524							2,596	5,120
Műanyag (KPE, KM-PVC)	4,395	3,920						14,571	22,886

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 400									
Öntöttvas									
ac	8,501								8,501
Műanyag (KPE, KM-PVC)	2,566								2,566
NA 600									
Öntöttvas	0,783								0,783
ac	7,534	0,922						1,625	10,082
Műanyag (KPE, KM-PVC)	0,087								0,087
NA 700									
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)									
Egyéb*	2,081	0,196	0,136	0,109	0,162	0,006	0,005	1,817	4,512
Bekötő vezeték [km]	195,815	20,557	21,634	1,926	8,667	1,667	2,834	31,547	284,648
NA 20									
horganyzott acél									
ac									
Műanyag (KPE, KM-PVC)	0,018							0,003	0,021
NA 25									
horganyzott acél	91,179	0,240	2,306		0,051			0,830	94,606
ac									
Műanyag (KPE, KM-PVC)	70,877	4,232	8,505	0,309	7,158	0,335	2,782	28,137	122,335
NA 32									
horganyzott acél	1,055		0,009					0,085	1,149
ac									
Műanyag (KPE, KM-PVC)	0,783	0,165	0,021	0,029	0,046	0,049		0,418	1,511
NA 40									
horganyzott acél	0,285	0,019							0,305
ac									
Műanyag (KPE, KM-PVC)	0,205			0,028	0,036			0,071	0,339
NA 50									
horganyzott acél	0,321	0,001							0,322
ac		0,239							0,239
Műanyag (KPE, KM-PVC)	0,066				0,072				0,137

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 63									
horganyzott acél	0,689								0,689
ac									
Műanyag (KPE, KM-PVC)	0,512				0,055			0,117	0,684
NA 80									
horganyzott acél	0,172		0,007						0,179
ac	0,024								0,024
Műanyag (KPE, KM-PVC)	0,030		0,023		0,020	0,035		0,032	0,140
NA 100									
horganyzott acél	0,086								0,086
ac					0,117				0,117
Műanyag (KPE, KM-PVC)	0,343	0,949			0,100	0,006		0,043	1,442
NA 150									
Öntöttvas(és-vagy acél)	0,111								0,111
ac									
Műanyag (KPE, KM-PVC)	0,011								0,011
Egyéb									
Öntöttvas	0,060								0,060
ac	0,015								0,015
Műanyag (KPE, KM-PVC)	0,030								0,030
Egyéb*	28,945	14,712	10,763	1,561	1,013	1,242	0,052	1,810	60,098

* = a fenti kategóriákba nem sorolható